


The Science of Aging: Ubiquinol's Role in Mitochondrial Health

Ubiquinol, the active antioxidant form of coenzyme Q10 (CoQ10), is naturally found throughout the body. It supports physiological processes crucial for healthy aging by aiding energy generation and neutralizing harmful free radicals.

However, ubiquinol levels taper off with age. At the same time, the increase of free radicals associated with aging can contribute to oxidative stress, which may impair mitochondrial and cellular function.



The Impact of Mitochondrial Health on Healthy Aging

Mitochondrial health and proper function are vital for supporting healthy aging. Mitochondria generate most of the energy needed for cell activities. They are also the primary source of free radical production.¹

Mitochondria help maintain the overall health of the body by:

- Maintaining cellular homeostasis
- Initiating repair mechanisms to help limit the spread of oxidative damage
- Regulating gene expression, including those involved in the immune response



When these functions falter, it can trigger cellular changes that, over time, may lead to common age-related health conditions.^{2,3}

The Role Kaneka Ubiquinol® Plays in Healthy Aging

2x




Kaneka Ubiquinol® has been shown to be 2x better absorbed than conventional CoQ10.⁴

8x



Research demonstrates that 200 mg of Kaneka Ubiquinol® increases ubiquinol levels by approximately 8x compared to baseline in healthy adults when taken daily for at least 30 days.⁵



Ubiquinol requires **no conversion** in the body to perform its antioxidant functions, making it immediately available to protect at the cellular level.^{6,7}

Kaneka Ubiquinol® supplementation can help maintain a healthy CoQ10 balance,⁶ which is essential for:



Cardiovascular health⁶



Muscle health in older adults⁸



Physical functioning in older adults^{8,9}



General health and well-being during and after menopause^{10,11}

The Kaneka Ubiquinol® Advantage

50

50 years of ubiquinone and ubiquinol research and testing

100+

Subject of 100+ clinical studies

18+

18+ years of positive consumer experience with Kaneka Ubiquinol® supplementation



Free of impurities commonly found in synthetic CoQ10



Bioidentical to the ubiquinol naturally produced in the human body



Made in the USA

[Read the White Paper](#)

KANEKA
NUTRIENTS



Nutrients.Sales@Kaneka.com
KanekaNutrients.com

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

References

- Bentinger M, Brismar K, Dallner G. The antioxidant role of coenzyme Q. *Mitochondrion*. 2007;7 (Suppl): S41-50.
- Adebayo M, Singh S, Singh AP, Dasgupta S. Mitochondrial fusion and fission: the fine-tune balance for cellular homeostasis. *FASEB J*. 2021;35(6):e21620.
- Pallotti F, Bergamini C, Lamperti C, Fato R. The roles of coenzyme Q in disease: direct and indirect involvement in cellular functions. *Int J Mol Sci*. 2021;23(1):128.
- Langsjoen PH, Langsjoen AM. Comparison study of plasma coenzyme Q10 levels in healthy subjects supplemented with ubiquinol versus ubiquinone. *Clin Pharmacol Drug Dev*. 2014;3(1):13-7.
- Hosoe K, Kitano M, Kishida H, Kubo H, Fujii K, Kitahara M. Study on safety and bioavailability of ubiquinol (Kaneka QH) after single and 4-week multiple oral administration to healthy volunteers. *Regul Toxicol Pharmacol*. 2007;47(1):19-28.
- Sabbatinelli J, Orlando P, Galeazzi R, et al. Ubiquinol ameliorates endothelial dysfunction in subjects with mild-to-moderate dyslipidemia: a randomized clinical trial. *Nutrients*. 2020;12(4):1098.
- Kubo H, Yamamoto Y, Fujisawa A. Orally ingested ubiquinol-10 or ubiquinone-10 reaches the intestinal tract and is absorbed by the small intestine of mice mostly in its original form. *J Clin Biochem Nutr*. 2023;72(2):101-6.
- Fischer A, Onur S, Niklowitz P, et al. Coenzyme Q10 status as a determinant of muscular strength in two independent cohorts. *PLoS One*. 2016;11(12):e0167124.
- de la Bella-Garzon R, Fernandez-Portero C, Alarcón D, Amián JG, López-Lluch G. Levels of plasma coenzyme Q10 are associated with physical capacity and cardiovascular risk in the elderly. *Antioxidants (Basel)*. 2022;11(2):279.
- Kaneka Internal Report. Real-life UBIQUINOL study on 200 postmenopausal women. Expansion Consulteam. 2024.
- Palacios S, Ramirez M, Lilue M, et al. Estudio clínico para conocer la eficacia de la coenzima Q10 sobre la calidad de vida en mujeres postmenopáusicas. *Toko-Gin Pract*. 2019;78(1):3-7. (Proprietary English translation on file.)