



Kaneka Ubiquinol® Amplifying Healthy Aging

Kaneka Ubiquinol®, manufactured exclusively by Kaneka Nutrients, supports healthy aging processes.

Ubiquinol, the active antioxidant form of coenzyme Q10 (CoQ10), is found naturally throughout our cells, tissues, and organs and plays an essential role in normal mitochondrial and cellular function. It helps protect against premature aging while promoting physiological processes vital for healthy aging.

Ubiquinol helps neutralize harmful free radicals, reducing oxidative stress in the body and protecting cellular integrity. It also helps to maintain mitochondrial health, promoting the efficiency of the mitochondrial electron transport chain (ETC) to ensure effective energy production and facilitate other cell-critical mitochondrial functions.^{1,2}

However, **natural ubiquinol levels and antioxidant mechanisms decline with age and are affected by lifestyle factors that can exacerbate oxidative stress.**^{3,4} The cumulative effects of aging, environmental exposures such as pollution, and lifestyle choices like poor diets can intensify oxidative stress, which is associated with changes relevant to healthy aging processes.⁵

The Impact of Mitochondrial Health on Healthy Aging

Maintaining mitochondrial health and proper function is vital for supporting healthy aging. Mitochondria are cell structures that act like powerhouses inside cells, generating most of the energy needed for cell activities.² They are also the primary source of free radical production.⁶

In addition to their role in cellular energy production, **mitochondria have a number of other roles that are critical for cellular homeostasis and overall cellular function.** These include mitochondrial repair, programmed cell death, redistribution of mitochondrial resources, and flow of key small molecules, all of which are **essential to maintaining normal cellular balance.** Disruption of these functions has been associated with biological aging.^{1,7,8}

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



The role mitochondria play in cellular energy production:

- The ETC in mitochondria is key for energy production.
- Through the ETC, mitochondria convert nutrients into adenosine triphosphate (ATP), the main energy currency for cellular functions.



Mitochondria's role beyond energy production^{1,7,8}:

- Mitochondria initiate repair mechanisms, including a process known as "programmed cell death" to prevent the spread of damage, while recycling usable mitochondrial components.
- They also govern the flow of small molecules, maintaining cell homeostasis.
- In addition, they regulate the expression of certain genes, including those involved in immune response.

kaneka
NUTRIENTS

Nutrients.Sales@Kaneka.com

KanekaNutrients.com



Formats

Kaneka Ubiquinol® is available as a pure crystalline powder for use in the following product applications:

- Softgels
- Gummies
- Cap-within-cap
- Liposomal formulations
- Liquid capsules
- Other light- and oxygen-controlled environments

Kaneka Ubiquinol® is also available in an air-stable form as Kaneka Q30™, a 30% Ubiquinol powder. Additional applications include:

- Stick packs
- Sachets
- Soft chews

Packaging

- 1 kg or 5 kg units
- MOQ: 1 kg
- Q30 MOQ: 3 kg



Safety

Kaneka Ubiquinol® has a well-established safety profile as demonstrated by extensive clinical trial data.

Kaneka
NUTRIENTS

Nutrients.Sales@Kaneka.com

KanekaNutrients.com

The Role Kaneka Ubiquinol® Plays in Healthy Aging

Given its roles in antioxidant activity and mitochondrial function, and declining levels of naturally occurring ubiquinol over the lifespan, **maintaining adequate ubiquinol levels becomes increasingly important with age**. As the only lipid-soluble antioxidant produced in the body and located in mitochondria, **ubiquinol helps manage oxidative stress where it naturally occurs**.

Supplementation with Kaneka Ubiquinol®, the active antioxidant form of CoQ10, supports mitochondrial and cellular function and homeostasis—key factors in healthy aging. Research and clinical studies demonstrate that maintaining adequate serum ubiquinol levels in adults supports:



Cardiovascular health*



Muscle health in older adults¹⁰



Physical functioning in older adults^{10,11}



General health and well-being during and after menopause^{12,13}

Absorption and Bioactivity



Kaneka Ubiquinol® has been shown to be **2x better absorbed** than a conventional CoQ10 (ubiquinone) supplement.¹⁴



Research demonstrates that 200 mg of Kaneka Ubiquinol® **increases ubiquinol levels by approximately 8x** compared to baseline in healthy adults when taken daily for at least 30 days.¹⁵

Unlike conventional CoQ10 supplements, **Kaneka Ubiquinol® requires no conversion** to be absorbed into the blood and to perform its antioxidant function.^{9,16}

For those already using CoQ10, **switching to Kaneka Ubiquinol® may offer enhanced absorption and bioavailability**.

The Kaneka Ubiquinol® Difference

Made in the USA

Kosher certified and allergen free

Compliant with USP monograph

Fermented from non-GMO yeast

Self-affirmed GRAS

Supporting 200+ brands

Subject of 100+ clinical studies

Bioidentical to the body's natural ubiquinol

References

1. Lee-Glover LP, et al. Mitochondria—the CEO of the cell. *J Cell Sci.* 2025;138(9):jcs263403.
2. Martini FH. The cellular level of organization. In: *Fundamentals of Anatomy and Physiology*. 12th ed. Pearson; 2024:81-2.
3. Schniertshauer D, et al. Age-dependent loss of mitochondrial function in epithelial tissue can be reversed by coenzyme Q10. *J Aging Res.* 2018;2018:6354680.
4. Pallotti F, et al. The roles of coenzyme Q in disease: direct and indirect involvement in cellular functions. *Int J Mol Sci.* 2021;23(1):128.
5. Lobo V, et al. Free radicals, antioxidants and functional foods: impact on human health. *Pharmacogn Rev.* 2010;4(8):118-26.
6. Giorgi C, et al. Mitochondria and reactive oxygen species in aging and age-related diseases. *Int Rev Cell Mol Biol.* 2018;340:209-344.
7. Adebayo M, et al. Mitochondrial fusion and fission: The fine-tune balance for cellular homeostasis. *FASEB J.* 2021;35(6):e21620.
8. Bock FJ, Tait SWG. Mitochondria as multifaceted regulators of cell death. *Nat Rev Mol Cell Biol.* 2020;21(2):85-100.
9. Sabbatinelli J, et al. Ubiquinol ameliorates endothelial dysfunction in subjects with mild-to-moderate dyslipidemia: a randomized clinical trial. *Nutrients.* 2020;12(4):1098.
10. Fischer A, et al. Coenzyme Q10 status as a determinant of muscular strength in two independent cohorts. *PLoS One.* 2016;11(12):e0167124.
11. de la Bella-Garzon R, et al. Levels of plasma coenzyme Q10 are associated with physical capacity and cardiovascular risk in the elderly. *Antioxidants (Basel).* 2022;11(2):279.
12. Kaneka Internal Report. Real-life UBIQUINOL study on 200 postmenopausal women. Expansion Consulteam. 2024.
13. Palacios S, et al. Estudio clinico para conocer la eficacia de la coenzima Q-10 sobre la calidad de vida en mujeres postmenopausicas. *Toko-Gin Pract.* 2019;78(1):3-7. (Proprietary English translation on file.)
14. Langsjoen PH, Langsjoen AM. Comparison study of plasma coenzyme Q10 levels in healthy subjects supplemented with ubiquinol versus ubiquinone. *Clin Pharmacol Drug Dev.* 2014;3(1):13-7.
15. Hosoe K, et al. Study on safety and bioavailability of ubiquinol (Kaneka QH) after single and 4-week multiple oral administration to healthy volunteers. *Regul Toxicol Pharmacol.* 2007;47(1):19-28.
16. Kubo H, et al. Orally ingested ubiquinol-10 or ubiquinone-10 reaches the intestinal tract and is absorbed by the small intestine of mice mostly in its original form. *J Clin Biochem Nutr.* 2023;72(2):101-6.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

25-KAN-FS-FEB26

© 2026 Kaneka Nutrients LP, a subsidiary of Kaneka Corporation. All rights reserved.